



- [Polytrauma-S3-Leitlinie](#) (Stand: 01.07.2016 , gültig bis 30.06.2021)
 - [Weißbuch Schwerverletztenversorgung 2., erweiterte Auflage](#)
-

Originalarbeiten

1. Wyen H, Lefering R, Maegele M, Brockamp T, Wafaisade A, Wutzler S, et al. The golden hour of shock - how time is running out: prehospital time intervals in Germany-a multivariate analysis of 15, 103 patients from the TraumaRegister DGU(R). Emerg Med J. 2012.

2. Wafaisade A, Lefering R, Maegele M, Lendemans S, Flohe S, Hussmann B, et al. Coagulation management of bleeding trauma patients is changing in German trauma centers: an analysis from the trauma registry of the German Society for Trauma Surgery. J Trauma Acute Care Surg. 2012; 72(4): 936-42.

3. Wafaisade A, Lefering R, Maegele M, Helm P, Braun M, Paffrath T, et al. [Recombinant factor VIIa for the treatment of exsanguinating trauma patients : A matched-pair analysis from the Trauma Registry of the German Society for Trauma Surgery.]. Unfallchirurg. 2012.

4. Trentzsch H, Huber-Wagner S, Hildebrand F, Kanz KG, Faist E, Piltz S, et al. Hypothermia for prediction of death in severely injured blunt trauma patients. Shock. 2012; 37(2): 131-9.

5. Schneppendahl J, Lefering R, Kuhne CA, Ruchholz S, Hakimi M, Witte I, et al. [Interhospital transfer of severely injured patients in Germany. Evaluation of the DGU trauma register]. Unfallchirurg. 2012; 115(8): 717-24.

6. Peiniger S, Paffrath T, Mutschler M, Brockamp T, Borgmann M, Spinella PC, et al. The trauma patient in hemorrhagic shock: how is the C-priority addressed between emergency and ICU admission? Scand J Trauma Resusc Emerg Med. 2012; 20: 78.

7. Peiniger S, Nienaber U, Lefering R, Braun M, Wafaisade A, Borgman MA, et al. Glasgow Coma Scale as a predictor for hemocoagulative disorders after blunt pediatric traumatic brain injury. Pediatr Crit Care Med. 2012; 13(4): 455-60.

8. Mutschler M, Nienaber U, Brockamp T, Wafaisade A, Wyen H, Peiniger S, et al. A critical reappraisal of the ATLS classification of hypovolaemic shock: Does it really reflect clinical reality? Resuscitation. 2012.

9. Kulla M, Helm M, Lefering R, Walcher F. Prehospital endotracheal intubation and chest tubing does not prolong the overall resuscitation time of severely injured patients: a retrospective, multicentre study of the Trauma Registry of the German Society of Trauma Surgery. *Emerg Med J.* 2012; 29(6): 497-501.
10. Kobbe P, Micansky F, Lichte P, Sellei RM, Pfeifer R, Dombroski D, et al. Increased morbidity and mortality after bilateral femoral shaft fractures: Myth or reality in the era of damage control? *Injury.* 2012.
11. Kleber C, Lefering R, Kleber AJ, Buschmann CT, Bail HJ, Schaser KD, et al. [Rescue time and survival of severely injured patients in Germany.]. *Unfallchirurg.* 2012.
12. Hussmann B, Lefering R, Kauther MD, Ruchholtz S, Moldzio P, Lendemans S. Influence of prehospital volume replacement on outcome in polytraumatized children. *Crit Care.* 2012; 16(5): R201.
13. Hoffmann M, Lefering R, Rueger JM, Kolb JP, Izbicki JR, Ruecker AH, et al. Pupil evaluation in addition to Glasgow Coma Scale components in prediction of traumatic brain injury and mortality. *Br J Surg.* 2012; 99 Suppl 1: 122-30.
14. Heuer M, Hussmann B, Schenck M, Nast-Kolb D, Ruchholtz S, Lefering R, et al. [Kidney injury and multiple trauma: outcome, course and treatment algorithm. An organ-specific evaluation of 835 patients from the trauma register of the DGU]. *Unfallchirurg.* 2012; 115(8): 700-7.
15. Burkhardt M, Nienaber U, Pizanis A, Maegele M, Culemann U, Bouillon B, et al. Acute management and outcome of multiple trauma patients with pelvic disruptions. *Crit Care.* 2012; 16(4): R163.
16. Brockamp T, Nienaber U, Mutschler M, Wafaisade A, Peiniger S, Lefering R, et al. Predicting on-going hemorrhage and transfusion requirement after severe trauma: a validation of six scoring systems and algorithms on the TraumaRegister DGU(R). *Crit Care.* 2012; 16(4): R129.
17. Wafaisade A, Maegele M, Lefering R, Braun M, Peiniger S, Neugebauer E, et al. High plasma to red blood cell ratios are associated with lower mortality rates in patients receiving multiple transfusion (4\leqred blood cell units<math><10</math>) during acute trauma resuscitation. *J Trauma.* 2011; 70(1): 81-8; discussion 8-9.
18. Topp T, Lefering R, Mueller T, Ruchholtz S, Patzer T, Kuhne CA. [Suicide in old age: the underestimated risk : An analysis of 1,894 patients in the Trauma Registry of the German Trauma Society.]. *Unfallchirurg.* 2011.
19. Schochl H, Nienaber U, Maegele M, Hochleitner G, Primavesi F, Steitz B, et al. Transfusion in trauma: thromboelastometry-guided coagulation factor concentrate-based therapy versus standard fresh frozen plasma-based therapy. *Crit Care.* 2011; 15(2): R83.

20. Ringdal KG, Lossius HM, Jones JM, Lauritsen JM, Coats TJ, Palmer CS, et al. Collecting core data in severely injured patients using a consensus trauma template: an international multicentre study. *Crit Care*. 2011; 15(5): R237.
21. Peiniger S, Nienaber U, Lefering R, Braun M, Wafaisade A, Wutzler S, et al. Balanced massive transfusion ratios in multiple injury patients with traumatic brain injury. *Crit Care*. 2011; 15(1): R68.
22. Nienaber U, Innerhofer P, Westermann I, Schochl H, Attal R, Breitenkopf R, et al. The impact of fresh frozen plasma vs coagulation factor concentrates on morbidity and mortality in trauma-associated haemorrhage and massive transfusion. *Injury*. 2011; 42(7): 697-701.
23. Hussmann B, Taeger G, Lefering R, Waydhas C, Nast-Kolb D, Ruchholtz S, et al. [Lethality and outcome in multiple injured patients after severe abdominal and pelvic trauma. Influence of preclinical volume replacement - an analysis of 604 patients from the trauma registry of the DGU]. *Unfallchirurg*. 2011; 114(8): 705-12.
24. Grote S, Bocker W, Mutschler W, Bouillon B, Lefering R. Diagnostic value of the Glasgow Coma Scale for traumatic brain injury in 18,002 patients with severe multiple injuries. *J Neurotrauma*. 2011; 28(4): 527-34.
25. Grasner JT, Wnent J, Seewald S, Meybohm P, Fischer M, Paffrath T, et al. Cardiopulmonary resuscitation traumatic cardiac arrest--there are survivors. An analysis of two national emergency registries. *Crit Care*. 2011; 15(6): R276.
26. Borgman MA, Spinella PC, Holcomb JB, Blackbourne LH, Wade CE, Lefering R, et al. The effect of FFP:RBC ratio on morbidity and mortality in trauma patients based on transfusion prediction score. *Vox Sang*. 2011; 101(1): 44-54.
27. Borgman MA, Maegele M, Wade CE, Blackbourne LH, Spinella PC. Pediatric trauma BIG score: predicting mortality in children after military and civilian trauma. *Pediatrics*. 2011; 127(4): e892-7.
28. Logters T, Lefering R, Schneppendahl J, Alldinger I, Witte I, Windolf J, et al. [Interruption of the diagnostic algorithm and immediate surgical intervention after major trauma--incidence and clinical relevance. Analysis of the Trauma Register of the German Society for Trauma Surgery]. *Unfallchirurg*. 2010; 113(10): 832-8.
29. Huber-Wagner S, Stegmaier J, Mathonia P, Paffrath T, Euler E, Mutschler W, et al. The sequential trauma score - a new instrument for the sequential mortality prediction in major trauma. *Eur J Med Res*. 2010; 15(5): 185-95.
30. Laurer H, Wutzler S, Wyen H, Westhoff J, Lehnert M, Lefering R, et al. [Quality of prehospital and early clinical care of pediatric trauma patients of school age compared to an adult cohort. A matched-pair

analysis of 624 patients from the DGU trauma registry]. Unfallchirurg. 2009; 112(9): 771-7.

31. Huber-Wagner S, Lefering R, Kay MV, Stegmaier J, Khalil PN, Paul AO, et al. Duration and predictors of emergency surgical operations--basis for medical management of mass casualty incidents. Eur J Med Res. 2009; 14: 532-40.

32. Wutzler S, Lefering R, Laurer HL, Walcher F, Wyen H, Marzi I. [Changes in geriatric traumatology. An analysis of 14,869 patients from the German Trauma Registry]. Unfallchirurg. 2008; 111(8): 592-8.

33. Probst C, Richter M, Haasper C, Lefering R, Otte D, Oestern HJ, et al. [Trauma and accident documentation in Germany compared with elsewhere in Europe]. Chirurg. 2008; 79(7): 650-6.